



## pwd -- вернуть имя рабочего каталога

**PWD(1)** ?????????? ??????? ???? FreeBSD **PWD(1)**

?????????  
pwd -- ??????? ??? ??????? ????????

?????????  
pwd [-L | -P]

?????????  
?????? pwd ????? ? ?????????? ?????? ?????? ?????? ??? ????? ? ?????? ? ?????? ?????? ????????.  
????????? ?????????? ?????????? ?????? ?????????? ?????? pwd ? ??????? ????.  
????????? ?????????? ?????????? ?????? ?????????? ?????? ?????????? ?????? (??? ??????-  
?????? ?????? ?????? ??????????????????).  
???? ?? ?????? ?????? ??????, ?????????????????? ????. -P.

?????????  
?????? pwd ?????????? ?????? ?????????? ?????????? ??????????:  
PWD ?????????? ??? ?????? ?????? ?????????? ??????????.

?????? ??????????  
?????? pwd ?????????? 0 ? ?????? ?????????? ?????????? ? >0 ? ?????? ???-  
????????? ?????.

?????? ????  
builtin(1), cd(1), csh(1), sh(1), getcwd(3)

?????????  
?????? pwd ?????????? IEEE Std 1003.1-2001 ('`POSIX.1'').

?????????  
?????? dirs ? csh(1) ?????? ??????? ???????, ?????? ??? ??? ??????? ?  
????. ??????, ? ?????? ???????, ?????? ?????? ?????? ??? ?????? ???  
?????????? ????? ?????????? ?????? ???, ??? ?????????? ?????? ??????  
????, ?????? ?????? ?????? ?????? ?????? ???????.

????? -L ?? ????? ???????, ??? ?????????? ?????? ?????????? ?????????? ?? ??-  
????????? ?????????? ?????????? PWD.



**pwd -- вернуть имя рабочего каталога**

Опубликовано muff.kiev.ua (<http://muff.kiev.ua>)

---

**Источник (получено 2025-08-18 04:28):**

<http://muff.kiev.ua/content/pwd-vernut-imya-rabochego-kataloga>